



OrthoMaster

INPHO SOFTWARE

Professional ortho rectification software with automated one-step processing of aerial blocks, intelligent true-ortho capabilities and built-in DTM Interpolation.

OrthoMaster ensures high speed batch processing and optimized hardware utilization for excellent productivity:

- ▶ Create digital aerial or satellite imagery with ensured constant scale using orientation and digital terrain models (DTM) as source data
- ▶ Derive DTMs directly from arbitrarily distributed XYZ point cloud data and breaklines
- ▶ Effectively eliminate the relief displacements by intersecting morphological 3D object data with the basic DTM
- ▶ Fully automatic differential rectification, or alternatively rectification onto a definable plane when no DTM data is available
- ▶ Optimized for automated, high-performance orthophoto production using state-of-the-art multi-threading and distributed processing
- ▶ Batch mass rectification of standard or true ortho images – the perfect match for OrthoVista ortho-mosaicking software

Feature Capabilities

- ▶ Orthophoto generation from aerial images (frame and pushbroom sensors), and from various types of satellite imagery
- ▶ Automated one-step batch processing of complete aerial image blocks; also in batch mode:
 - Advanced batch mode for subsequent OrthoVista postprocessing (OrthoVista license required)
 - Complete ortho workflow with OrthoVista input file generation and OrthoVista pre-processing steps
- ▶ Orthophoto generation in pre-set polygonal area-of-interest:
 - Flexible definition/import of multiple geometry- and quality-optimized ortho areas per image
 - Automatic ortho area generation excluding edges from orthophotos for extracting the best quality image parts for optimized computation speed and storage requirement
 - Defined overlap percentage of adjacent orthophotos
- ▶ Unique true-ortho capability in combination with OrthoVista; advanced modelling of bridges, buildings and other man-made objects – masking of occluded areas

Key Features

- ▶ Effectively batch-create thousands of rectified orthophotos in one single process
- ▶ Automated one-step processing
- ▶ Unique true ortho capability and Orthophoto generation
- ▶ Flexible Height model support
- ▶ Multicore processing and multi-threading
- ▶ Effectively batch-create thousands of rectified orthophotos in one single process



TECHNICAL SPECIFICATIONS

FEATURES OVERVIEW

- Flexible Height model support:
 - Hybrid grid based SCOP DTMs and various other formats
 - Realtime generation of TIN models
 - Rigorous consideration of morphological data such as breaklines
 - Unlimited volumes of DTM data supported by TPIX tile management
- Transform complete projects including EO, DTM/point clouds and orthos, between different datums and projections:
 - Grid-based transformations
 - 7-parameter transformations
 - Custom geoid application
- Multicore processing and multi-threading for higher performance
- Optional distributed processing in combination with DPMaster high volume throughput

BENEFITS

- Optimized workflow for OrthoVista Mosaicking
- Geometric precision through integrated DTM generation with rigorous consideration of breaklines and man-made structures (buildings, bridges)
- Excellent radiometric quality through advanced processing algorithms
- Unique true-ortho capabilities
- Extensive automation features for minimal user interaction
- Powerful handling of very large DTMs
- Seamlessly integrates into the complete inpho software system or any 3rd-party photogrammetric workflow

OPTIONS

- Monthly rental and upgrades from lite versions
- Maintenance includes support and version updates
- Updates from previous versions
- OrthoMaster (DPL) (DPMaster computer pool organization required):
 - High-volume extension using Distributed Processing technology
 - Efficiency increase by using OrthoMaster in a multi-core and multicore setup. Prerequisite is one full license of OrthoMaster and DPMaster (free) for the pool administration
- OrthoMaster Lite:
 - Restricted to ortho-rectification of 250 aerial images or 12 satellite or pushbroom (ADS) images
 - No batch processing or multi-threading
 - No sub-block processing


SYSTEM REQUIREMENTS

- Multicore PC workstation (1 license supports up to 24 cores)
- 32+ GB recommended
- High capacity disk system
- Windows 10, 64 bit

BUNDLES

OrthoBox:

- Bundle of OrthoMaster and OrthoVista for maximum ortho performance



PERFORMANCE

- Suited for mass production of ortho projects. Process about 200 orthos per hour on a standard PC workstation

SUPPORTED SENSOR TYPES

- Imaging sensors:
 - Analogue and digital frame sensors
 - Panchromatic or multichannel
 - ADS Pushbroom sensors
 - Satellite sensors (including SPOT 1-7, Pléiades, Quickbird, IKONOS, GeoEye, OrbView, RapidEye, WorldView, Gaofen, Tianhui, Ziyuan and more)

FEATURES OVERVIEW

- Supported image formats:
 - Georeferenced orthos: GeoTIFF, TiffWorld (tfw), ADS+tif/tfw
 - TIFF, JPG, BigTiff
 - JPEG2000, TIFFjpeg
- Height model / morphology data formats available in the DTMToolkit for Grid interpolation, point cloud tiling and splitting, thin-out operations (classification and filtering, gap-filling, contour generation available with additional license, SCOP++ LiDAR module for classification and filtering)
 - Grid-operations:
 - ◊ All supported formats (*.dtm *.rdh *.bil *.fit *.tol *.grd *.tif *.tiff *.smti *.tpix.shp)
 - Output Formats
 - ◊ BIL, BWNP, BXYZ, DTM, DXF, DXF_TIN, FLT, GRD, LAS, SHP_TIN, TIFF16, TIFF32, VRML, VRML_TIN, WNP, XYZ
 - Point-cloud operations
 - ◊ Input formats: LAS, XYZ, BXYZ
 - ◊ Output formats:
 - For tiling, filtering and gap filling: LAS
 - For surface modeling: SCOP DTM
 - For contouring: DXF and TIF
- Project Conversion/Import/Export:
 - Project conversion to Inpho
 - Z/I, DAT /EM, BAE SocetSet
 - Project and EO exports:
 - ◊ DAT /EM Summit Evolution, BAE Socet Set, Z/I project, Aviosoft Ori, ABC-PC, AP32, Phorex/Pex, PATB, Bluh, Bingo
 - EO imports: Generic ASCII, Phorex/Pex, PATB, Bluh, Bingo
- DTM data import:
 - SCOP DTM, Winput, XYZ mass points, break/form lines, DXF, ArcGIS Shapefile, ArcGIS ASCII Grid, LAS, NED Float
- Geocoded Raster files
- Tile Manager File (TPIX):
 - Import of multiple raw data files, merged with SCOP functionality

For prices and distribution partner information please visit:
<https://geospatial.trimble.com/where-to-buy>



Contact your local Trimble Authorized Distribution Partner for more information

NORTH AMERICA

Trimble Inc.
 10368 Westmoor Dr
 Westminster CO 80021
 USA

EUROPE

Trimble Germany
 GmbH
 Am Prime Parc 11
 65479 Raunheim
 GERMANY

ASIA-PACIFIC

Trimble Navigation
 Singapore PTE Limited
 3 HarbourFront Place
 #13-02 HarbourFront Tower Two
 Singapore 099254
 SINGAPORE